INDEX TO VOLUME 27, 1998

Author Index*

A

Abraham I (see Moons et al). 1998;27:315-25
Alkhuja S. 1998;27:74 (Letter)
——. 1998;27:354 (Letter)
——, Miller A. Tuberculous bronchoesophageal fistulae in patients infected with the human immunodeficiency virus: a case report and review. 1998;27:143-5
Allen JK (see Coyne and Allen). 1998;27:263-73
Armstrong D (see Cupples et al). 1998;27:374-86
Aronson R (see Waugh et al). 1998;27:418-23

B

Bakshi F, Barzilay Z, Paret G. Adenosine in the diagnosis and treatment of narrow complex tachycardia in the pediatric intensive care unit. 1998;27:47-50
Baldwin S (see Smith et al). 1998;27:99-108
Balogh D, Berry A. A challenge for clinical nurses: a new nursing role. 1998;27:355-9
Barnason S, Graham J, Wild MC, Jensen LB, Rasmussen D, Schulz P, Woods S, Carder B. Comparison of two endotracheal tube securement techniques on unplanned extubation, oral mucosa, and facial skin integrity. 1998;27:409-17
Barzilay Z (see Bakshi et al). 1998;27:47-50
Berry A (see Balogh and Berry). 1998;27:355-9
Bliley A (see Gulanick et al). 1998;27:253-62
Bondmass M (see Piano et al). 1998;27:3-19
Bonoan JT, Johnson DH, Cunha BA. Life-threatening babesiosis in an asplenic patient treated with exchange transfusion, azithromycin, and atovaquone. 1998;27:424-8
—— (see Peck et al). 1998;27:279-82
Botti M, Williamson B, Steen K, McTaggart J, Reid E. The effect of pressure bandaging on complications and comfort in patients undergoing coronary angiography: a multicenter randomized trial. 1998;27:360-73
Brandstetter RD, Grant GR, Estilo M, Rahim F, Singh K, Gitler B. Swan-Ganz catheter: misconceptions, pitfalls, and incomplete user knowledge—an identified trilogy in need of correction. 1998;27:218-22
——, Grant GR, Gitler B. Swan to phoenix: the metamorphosis. 1998;27:215-7 (Guest editorial)
——, Kabinoff GS. Bilioptysis: a sign of pulmonary capillary permeability injury. 1998;27:121-2
—— (see Cruz et al). 1998;27:297-305
Brooks-Brunn JA. Validation of a predictive model for postoperative pulmonary complications. 1998;27:151-8
Burns JE (see Burns et al). 1998;27:58-62
Burns SM, Spilman M, Wilmoth D, Carpenter R, Turrentine B, Wiley B, Marshall M, Martens S, Burns JE, Truwit JD. Are frequent inner cannula changes necessary?: a pilot study. 1998;27:58-62

C

Callister LC (see Lauri et al). 1998;27:133-42
Carder B (see Barnason et al). 1998;27:409-17
Carpenter R (see Burns et al). 1998;27:58-62
Chlan L. Effectiveness of a music therapy intervention on relaxation and anxiety for patients receiving ventilatory assistance. 1998;27:169-76
Clouse RE (see Metheny et al). 1998;27:285-92
Coyne KS, Allen JK. Assessment of functional status in patients with cardiac disease. 1998;27:263-73
Cruz R, Davis M, O'Neil H, Tamarin F, Brandstetter RD, Karetzky M. Pulmonary manifestations of inhaled street drugs. 1998;27:297-305
Cunha BA (see Bonoan et al). 1998;27:424-8
—— (see Gabbay and Cunha). 1998;27:348-51
—— (see Latuszynski et al). 1998;27:146-8
—— (see Peck et al). 1998;27:279-82
—— (see Qadir and Cunha). 1998;27:67-8
Cupples SA, Paige-Dobson B, Armstrong D. Psychophysiological manifestations of anxiety in patients undergoing electrophysiology studies. 1998;27:374-86

D

Davis LJ (see Trego et al). 1998;27:274-8
Davis M (see Cruz et al). 1998;27:297-305
De Geest S (see Moons et al). 1998;27:315-25
De Orchis DF (see Mylonakis et al). 1998;27:63-6

E

Eiger G (see Khanlou et al). 1998;27:344-7
Estenne M (see Maurer et al). 1998;27:223-9
Estilo M (see Brandstetter et al). 1998;27:218-22
Evans BJ (see Harel et al). 1998;27:238-44

F

Ferrans CE (see Kleinpell and Ferrans). 1998;27:337-43
Flanigan T (see Mylonakis et al). 1998;27:63-6
Frost AE (see Maurer et al). 1998;27:223-9

G

Gabbay DS, Cunha BA. Pseudosepsis secondary to bilateral adrenal hemorrhage. 1998;27:348-51
Gitler B (see Brandstetter et al). 1998;27:215-7 (Guest editorial)
—— (see Brandstetter et al). 1998;27:218-22
Glanville AR (see Maurer et al). 1998;27:223-9
Gorczyca CA (see Trego et al). 1998;27:274-8
Graham J (see Barnason et al). 1998;27:409-17
Grant GR (see Brandstetter et al). 1998;27:215-7 (Guest editorial)
—— (see Brandstetter et al). 1998;27:218-22
Gulanick M, Bliley A, Perino B, Keough V. Recovery patterns and lifestyle changes after coronary angioplasty: the patient's perspective. 1998;27:253-62
Guse C (see Hartz et al). 1998;27:22-30

H

Halfens RJG (see Ketelaars et al). 1998;27:109-20
Hall-Lord ML, Larsson G, Steen B. Pain and distress among elderly intensive care unit patients: comparison of patients' experiences and nurses' assessments. 1998;27:123-32
Harel Y, Niranjan V, Evans BJ. The current practice patterns of mechanical ventilation for respiratory failure in pediatric patients. 1998;27:238-44
Harrisson S (see Lauri et al). 1998;27:133-42
Hartz A, Guse C, Kayser K, Kuhn E, Johnson D. Use of postoperative information to predict mortality rates for patients who have long stays in the intensive care unit after coronary artery bypass grafting. 1998;27:22-30
Hentinen M (see Lukkarinen and Hentinen). 1998;27:189-99
Hicks GL Jr. Cardiac surgery and the acute care nurse practitioner—"the perfect link." 1998;27:283-4 (Guest editorial)
Higenbottam T (see Maurer et al). 1998;27:223-9
Higgins DM. 1998;27:74 (Letter reply)
Higgins PA. Patient perception of fatigue while undergoing long-term mechanical ventilation: incidence and associated factors. 1998;27:177-83
Hill J (see Wadas and Hill). 1998;27:31-6
Holm K (see McLane et al). 1998;27:200-8
Honig EG (see Waugh et al). 1998; 27:418-23
Hu W-Y (see Shih et al). 1998;27:82-98
Huang G-S (see Shih et al). 1998;27:82-98
Hussey LC, Leeper B, Hynan LS. Development of the sternal wound infection prediction scale. 1998;27:326-36
Huyer Abu-Saad H (see Ketelaars et al). 1998;27:109-20
Hynan LS (see Hussey et al). 1998;27:326-36

*January/February, pp. 1-74; March/April, pp. 75-150; May/June, pp. 151-214; July/August, pp. 215-282; September/October, pp. 283-354; November/December, pp. 355-438.

Author Index

J

Jenkins LS (*see* Perkins and Jenkins). 1998;27:37-46
Jensen LA, Onyskiw JE, Prasad NGN. Meta-analysis of arterial oxygen saturation monitoring by pulse oximetry in adults. 1998;27:387-408
Jensen LB (*see* Barnason et al). 1998;27:409-17
Johnson D (*see* Hartz et al). 1998;27:22-30
Johnson DH (*see* Bonoan et al). 1998;27:424-8
Jones DF (*see* Waugh et al). 1998;27:418-23

K

Kabinoff GS (*see* Brandstetter and Kabinoff). 1998;27:121-2
Käppeli S (*see* Lauri et al). 1998;27:133-42
Karetzky M (*see* Cruz et al). 1998;27:297-305
Kayser K (*see* Hartz et al). 1998;27:22-30
Keough V (*see* Gulanick et al). 1998;27:253-62
Ketelaars CAJ, Huyer Abu-Saad H, Halfens RJG, Schlösser MAG, Mostert R, Wouters EFM. Effects of specialized community nursing care in patients with chronic obstructive pulmonary disease. 1998;27:109-20
Khanlou H, Khanlou N, Eiger G. Schwannoma of posterior mediastinum: a case report and concise review. 1998;27:344-7
Khanlou N (*see* Khanlou et al). 1998;27:344-7
Kimbie LP, King KB. Perceived side effects and benefits of coronary angioplasty in the early recovery period. 1998;27:308-14
King KB (*see* Kimble and King). 1998;27:308-14
—— (*see* Rowe and King). 1998;27:184-8
Kleinpell RM, Ferrans CE. Factors influencing intensive care unit survival for critically ill elderly patients. 1998;27:337-43
Kuhn E (*see* Hartz et al). 1998;27:22-30

L

Lareau SC, Meek PM, Roos PJ. Development and testing of the modified version of the Pulmonary Functional Status and Dyspnea Questionnaire (P[2]SDQ-M). 1998;27:159-68
Larsson G (*see* Hall-Lord et al). 1998;27:123-32
Latendresse LM (*see* Trego et al). 1998;27:274-8
Latuszynski DK, Schoch P, Qadir MT, Cunha BA. *Proteus penneri* urosepsis in a patient with diabetes mellitus. 1998;27:146-8
Lauri S, Salanterä S, Callister LC, Harrisson S, Käppeli S, MacLeod M. Decision making of nurses practicing in intensive care in Canada, Finland, Northern Ireland, Switzerland, and the United States. 1998;27:133-42
Leeper B (*see* Hussey et al). 1998;27:326-36
Levitz RE. Herpes simplex encephalitis: a review. 1998;27:209-12
Liberatore N (*see* Trego et al). 1998;27:274-8
Lou M-F (*see* Shih et al). 1998;27:82-98
Lukkarinen H, Hentinen M. Assessment of quality of life with the Nottingham Health Profile among women with coronary artery disease. 1998;27:189-99

M

Maclean JCF. 1998;27:74 (Letter reply)
MacLeod M (*see* Lauri et al). 1998;27:133-42
Marshall M (*see* Burns et al). 1998;27:58-62
Martens S (*see* Burns et al). 1998;27:58-62
Maurer JR, Frost AE, Estenne M, Higenbottam T, Glanville AR. International guidelines for the selection of lung transplant candidates. 1998;27:223-9
Mayer LS (*see* Smith et al). 1998;27:99-108
McKane CL. Pulmonary thromboendarterectomy: an advance in the treatment of chronic thromboembolic pulmonary hypertension. 1998;27:293-6
McLane C, Morris L, Holm K. A comparison of intravascular pressure monitoring system contamination and patient bacteremia with use of 48- and 72-hour system change intervals. 1998;27:200-8
McTaggart J (*see* Botti et al). 1998;27:360-73
Meek PM (*see* Lareau et al). 1998;27:159-68
Meleis AI (*see* Shih et al). 1998;27:82-98
Menzel LK. Factors related to the emotional responses of intubated patients to being unable to speak. 1998;27:245-52
Metheny NA, St. John RE, Clouse RE. Measurement of glucose in tracheobronchial secretions to detect aspiration of enteral feedings. 1998;27:285-92
Metsker C (*see* Smith et al). 1998;27:99-108
Mileno MD (*see* Mylonakis et al). 1998;27:63-6
Miller A (*see* Alkhuja and Miller). 1998;27:143-5
Moons P, De Geest S, Abraham I, Van Cleemput J, Vanhaecke J. Symptom experience associated with maintenance immunosuppression after heart transplantation: patients' appraisal of side effects. 1998;27:315-25
Morencey MC (*see* Trego et al). 1998;27:274-8
Morris L (*see* McLane et al). 1998;27:200-8
Mostert R (*see* Ketelaars et al). 1998;27:109-20
Mylonakis E, Mileno MD, Flanigan T, De Orchis DF, Rich J. pulmonary invasive aspergillosis in patients infected with the human immunodeficiency virus: report of two cases. 1998;27:63-6

N

Nikolić G. Dominant R wave in lead V_1. 1998;27:352-3
——. Sinus rhythm with rapid ventricular response. 1998;27:69-70
—— (*see* Nogrady and Nikolić). 1998;27:149-50
—— (*see* Sistla and Nikolić). 1998;27:213-4
Niranjan V (*see* Harel et al). 1998;27:238-44
Nogrady S, Nikolić G. Bidirectional tachycardia. 1998;27:149-50

O

O'Neil H (*see* Cruz et al). 1998;27:297-305
Onyskiw JE (*see* Jensen et al). 1998;27:387-408

P

Paige-Dobson B (*see* Cupples et al). 1998;27:374-86
Paret G (*see* Bakshi et al). 1998;27:47-50
Peck KE, Bonoan JT, Cunha BA. Postlaparoscopic traumatic inferior vena caval thrombosis 1998;27:279-82
Pelletier-Hibbert M. Coping strategies used by nurses to deal with the care of organ donors and their families. 1998;27:230-7
Perino B (*see* Gulanick et al). 1998;27:253-62
Perkins S, Jenkins LS. Self-efficacy expectation, behavior performance, and mood status in early recovery from percutaneous transluminal coronary angioplasty. 1998;27:37-46
Piano MR, Bondmass M, Schwertz DW. The molecular and cellular pathophysiology of heart failure. 1998;27:3-19
Pingleton SK (*see* Smith et al). 1998;27:99-108
Prasad NGN (*see* Jensen et al). 1998;27:387-408
Price VB (*see* Trego et al). 1998;27:274-8

Q

Qadir MT, Cunha BA. *Penicillium* peritonitis in a patient receiving continuous ambulatory peritoneal dialysis. 1998;27:67-8
—— (*see* Latuszynski et al). 1998;27:146-8

R

Rahim F (*see* Brandstetter et al). 1998;27:218-22
Rasmussen D (*see* Barnason et al). 1998;27:409-17
Reid E (*see* Botti et al). 1998;27:360-73
Rich J (*see* Mylonakis et al). 1998;27:63-6
Roos PJ (*see* Lareau et al). 1998;27:159-68
Rowe MA, King KB. Long-term chest wall discomfort in women after coronary artery bypass grafting. 1998;27:184-8

S

St. John RE (*see* Metheny et al). 1998;27:285-92
Salanterä S (*see* Lauri et al). 1998;27:133-42
Schlösser MAG (*see* Ketelaars et al). 1998;27:109-20
Schoch P (*see* Latuszynski et al). 1998;27:146-8
Schulz P (*see* Barnason et al). 1998;27:409-17
Schwertz DW (*see* Piano et al). 1998;27:3-19
Shih F-J, Meleis AI, Yu P-J, Hu W-Y, Lou M-F, Huang G-S. Taiwanese patients' concerns and coping strategies: transition to cardiac surgery. 1998;27:82-98
Simpson SQ. Hantavirus pulmonary syndrome. 1998;27:51-7
Singh K (*see* Brandstetter et al). 1998;27:218-22
Sistla RG, Nikolić G. Reverse ventriculophasic effect. 1998;27:213-4
Smith CE, Mayer LS, Metsker C, Voelker M, Baldwin S, Whitman RA, Pingleton SK. Continuous positive airway pressure: patients' and caregivers' learning needs and barriers to use. 1998;27:99-108
Spilman M (*see* Burns et al). 1998;27:58-62
Steen B (*see* Hall-Lord et al). 1998;27:123-32
Steen K (*see* Botti et al). 1998;27:360-73

T

Tamarin F (*see* Cruz et al). 1998;27:297-305
Trego LL, Liberatore N, Morencey MC, Price VB, Gorczyca CA, Latendresse LM, Davis LJ. Spotlight article: Patients' and nurses' knowledge of cardiac-related symptoms and cardiac misconceptions (Newens AJ, McColl E, Bond S, Priest JF. Heart Lung® 1996;25:190-9). 1998;27:274-8
Trupp R. Case presentation: a gastroventricular fistula resulting from peptic ulcer disease. 1998;27:71-3
Truwit JD (see Burns et al). 1998;27:58-62
Turrentine B (*see* Burns et al). 1998;27:58-62

V

Van Cleemput J (*see* Moons et al). 1998;27:315-25
Vanhaecke I (*see* Moons et al). 1998;27:315-25
Voelker M (*see* Smith et al). 1998;27:99-108

W

Wadas TM, Hill J. Is lidocaine infiltration during femoral sheath removal really necessary? 1998;27:31-6
Waugh JB, Jones DF, Aronson R, Honig EG. Bronchodilator response with use of OptiVent versus Aerosol Cloud Enhancer metered-dose inhaler spacers in patients receiving ventilatory assistance. 1998;27:418-23
Whitman RA (*see* Smith et al). 1998;27:99-108
Wild MC (see Barnason et al). 1998;27:409-17
Wiley B (see Burns et al). 1998;27:58-62
Williamson B (see Botti et al). 1998;27:360-73
Wilmoth D (see Burns et al). 1998;27:58-62
Woods S (see Barnason et al). 1998;27:409-17
Wouters EFM (see Ketelaars et al). 1998;27:109-20

Y

Yu P-I (see Shih et al). 1998;27:82-98

Z

Zerwic JJ. Symptoms of acute myocardial infarction: expectations of a community sample. 1998;27:75-81

Subject Index*

A

Abdomen, surgery
Validation of a predictive model for postoperative pulmonary complications (Brooks-Brunn). 1998;27:151-8

Acute care nurse practitioner; *see* **Nurse practitioners**

Adaptation, psychological
Coping strategies used by nurses to deal with the care of organ donors and their families (Pelletier-Hibbert). 1998;27:230-7
Taiwanese patients' concerns and coping strategies: transition to cardiac surgery (Shih et al). 1998;27:82-98

Adenosine
Adenosine in the diagnosis and treatment of narrow complex tachycardia in the pediatric intensive care unit (Bakshi et al). 1998;27:47-50

Adhesives
Comparison of two endotracheal tube securement techniques on unplanned extubation, oral mucosa, and facial skin integrity (Barnason et al). 1998;27:409-17

Adrenal gland diseases
Pseudosepsis secondary to bilateral adrenal hemorrhage (Gabbay and Cunha). 1998;27:348-51

Aerosol Cloud Enhancer; *see* **Nebulizers and vaporizers**

Aged
Factors influencing intensive care unit survival for critically ill elderly patients (Kleinpell and Ferrans). 1998;27:337-43
Pain and distress among elderly intensive care unit patients: comparison of patients' experiences and nurses' assessments (Hall-Lord et al). 1998;27:123-32

Analgesia
Is lidocaine infiltration during femoral sheath removal really necessary? (Wadas and Hill). 1998;27:31-6

Angioplasty, transluminal, percutaneous coronary
Perceived side effects and benefits of coronary angioplasty in the early recovery period (Kimble and King). 1998;27:308-14
Recovery patterns and lifestyle changes after coronary angioplasty: the patient's perspective (Gulanick et al). 1998;27:253-62
Self-efficacy expectation, behavior performance, and mood status in early recovery from percutaneous transluminal coronary angioplasty (Perkins and Jenkins). 1998;27:37-46

Anxiety
Effectiveness of a music therapy intervention on relaxation and anxiety for patients receiving ventilatory assistance (Chlan). 1998;27:169-76
Psychophysiological manifestations of anxiety in patients undergoing electrophysiology studies (Cupples et al). 1998;27:374-86

Arterial oxygen saturation; *see* **Blood gas analysis**

Aspergillosis
Pulmonary invasive aspergillosis in patients infected with the human immunodeficiency virus: report of two cases (Mylonakis et al). 1998;27:63-6

Aspiration
Measurement of glucose in tracheobronchial secretions to detect aspiration of enteral feedings (Metheny et al). 1998;27:285-92

Asplenia; *see* **Spleen**

Atelectasis
Validation of a predictive model for postoperative pulmonary complications (Brooks-Brunn). 1998;27:151-8

Atovaquone
Life-threatening babesiosis in an asplenic patient treated with exchange transfusion, azithromycin, and atovaquone (Bonoan et al). 1998;27:424-8

Atrial tachycardia; *see* **Tachycardia**

Azithromycin
Life-threatening babesiosis in an asplenic patient treated with exchange transfusion, azithromycin, and atovaquone (Bonoan et al). 1998;27:424-8

B

Babesiosis
Life-threatening babesiosis in an asplenic patient treated with exchange transfusion, azithromycin, and atovaquone (Bonoan et al). 1998;27:424-8

Bacteremia
A comparison of intravascular pressure monitoring system contamination and patient bacteremia with use of 48- and 72-hour system change intervals (McLane et al). 1998;27:200-8

Bacteria
Are frequent inner cannula changes necessary?: a pilot study (Burns et al). 1998;27:58-62

Bandages
The effect of pressure bandaging on complications and comfort in patients undergoing coronary angiography: a multicenter randomized trial (Botti et al). 1998;27:360-73

Behavior
Self-efficacy expectation, behavior performance, and mood status in early recovery from percutaneous transluminal coronary angioplasty (Perkins and Jenkins). 1998;27:37-46

Bilirubin
Bilioptysis: a sign of pulmonary capillary permeability injury (Brandstetter and Kabinoff). 1998;27:121-2

Blood gas analysis
Meta-analysis of arterial oxygen saturation monitoring by pulse oximetry in adults (Jensen et al). 1998;27:387-408

*January/February, pp. 1-74; March/April, pp. 75-150; May/June, pp. 151-214; July/August, pp. 215-282; September/October, pp. 283-354; November/December, pp. 355-438.

Brain diseases
Herpes simplex encephalitis: a review (Levitz). 1998;27:209-12

Bronchial fistula
Tuberculous bronchoesophageal fistulae in patients infected with the human immunodeficiency virus: a case report and review (Alkhuja and Miller). 1998;27:143-5

Bronchial secretions
Measurement of glucose in tracheobronchial secretions to detect aspiration of enteral feedings (Metheny et al). 1998;27:285-92

Bronchodilation
Bronchodilator response with use of OptiVent versus Aerosol Cloud Enhancer metered-dose inhaler spacers in patients receiving ventilatory assistance (Waugh et al). 1998;27:418-23

C

Canada
Decision making of nurses practicing in intensive care in Canada, Finland, Northern Ireland, Switzerland, and the United States (Lauri et al). 1998;27:133-42

Capillary permeability
Bilioptysis: a sign of pulmonary capillary permeability injury (Brandstetter and Kabinoff). 1998;27:121-2

Cardiac disease; *see* **Heart disease**

Caregivers
Continuous positive airway pressure: patients' and caregivers' learning needs and barriers to use (Smith et al). 1998;27:99-108

Catheterization, Swan-Ganz
Swan to phoenix: the metamorphosis (Brandstetter et al). 1998;27:215-7 (Guest editorial)
Swan-Ganz catheter: misconceptions, pitfalls, and incomplete user knowledge—an identified trilogy in need of correction (Brandstetter et al). 1998;27:218-22

Catheters, indwelling
Are frequent inner cannula changes necessary?: a pilot study (Burns et al). 1998;27:58-62
A comparison of intravascular pressure monitoring system contamination and patient bacteremia with use of 48- and 72-hour system change intervals (McLane et al). 1998;27:200-8

CEC articles
The molecular and cellular pathophysiology of heart failure (Piano et al). 1998;27:3-19
Pulmonary manifestations of inhaled street drugs (Cruz et al). 1998;27:297-305

Chest wall
Long-term chest wall discomfort in women after coronary artery bypass grafting (Rowe and King). 1998;27:184-8

Child
Adenosine in the diagnosis and treatment of narrow complex tachycardia in the pediatric intensive care unit (Bakshi et al). 1998;27:47-50
The current practice patterns of mechanical ventilation for respiratory failure in pediatric patients (Harel et al). 1998;27:238-44

Chronic obstructive pulmonary disease; *see* **Lung diseases, obstructive**

Clinical assistants
A challenge for clinical nurses: a new nursing role (Balogh and Berry). 1998;27:355-9

Cocaine
Pulmonary manifestations of inhaled street drugs (Cruz et al). 1998;27:297-305

Communication
Factors related to the emotional responses of intubated patients to being unable to speak (Menzel). 1998;27:245-52

Community health nursing
Effects of specialized community nursing care in patients with chronic obstructive pulmonary disease (Ketelaars et al). 1998;27:109-20

Congestive heart failure; *see* **Heart failure, congestive**

Continuous ambulatory peritoneal dialysis; *see* **Peritoneal dialysis, continuous ambulatory**

Continuous positive airway pressure; *see* **Positive-pressure respiration**

Coping strategies; *see* **Adaptation, psychological**

Coronary angiography
The effect of pressure bandaging on complications and comfort in patients undergoing coronary angiography: a multicenter randomized trial (Botti et al). 1998;27:360-73

Coronary artery bypass
Long-term chest wall discomfort in women after coronary artery bypass grafting (Rowe and King). 1998;27:184-8
Use of postoperative information to predict mortality rates for patients who have long stays in the intensive care unit after coronary artery bypass grafting (Hartz et al). 1998;27:22-30

Coronary disease
Assessment of quality of life with the Nottingham Health Profile among women with coronary artery disease (Lukkarinen and Hentinen). 1998;27:189-99

Correspondence
Letters to the editors. 1998;27:74, 354

D

Death
Coping strategies used by nurses to deal with the care of organ donors and their families (Pelletier-Hibbert). 1998;27:230-7
Factors influencing intensive care unit survival for critically ill elderly patients (Kleinpell and Ferrans). 1998;27:337-43
Swan to phoenix: the metamorphosis (Brandstetter et al). 1998;27:215-7 (Guest editorial)
Swan-Ganz catheter: misconceptions, pitfalls, and incomplete user knowledge—an identified trilogy in need of correction (Brandstetter et al). 1998;27:218-22
Use of postoperative information to predict mortality rates for patients who have long stays in the intensive care unit after coronary artery bypass grafting (Hartz et al). 1998;27:22-30

Decision making
Decision making of nurses practicing in intensive care in Canada, Finland, Northern Ireland, Switzerland, and the United States (Lauri et al). 1998;27:133-42

Diabetes mellitus
Proteus penneri urosepsis in a patient with diabetes mellitus (Latuszynski et al). 1998;27:146-8

Dyspnea
Development and testing of the modified version of the Pulmonary Functional Status and Dyspnea Questionnaire (PFSDQ-M) (Lareau et al). 1998;27:159-68

E

Editorials
Guest editorials. 1998;27:215-7, 283-4

Education
Continuous positive airway pressure: patients' and caregivers' learning needs and barriers to use (Smith et al). 1998;27:99-108

Elderly; *see* **Aged**

Electrocardiography
Bidirectional tachycardia (Nogrady and Nikolić). 1998;27:149-50
Dominant R wave in lead V_1 (Nikolić). 1998;27:352-3
Reverse ventriculophasic effect (Sistla and Nikolić). 1998;27:213-4
Sinus rhythm with rapid ventricular response (Nikolić). 1998;27:69-70

Electrophysiology
Psychophysiological manifestations of anxiety in patients undergoing electrophysiology studies (Cupples et al). 1998;27:374-86

Emotions
Factors related to the emotional responses of intubated patients to being unable to speak (Menzel). 1998;27:245-52

Encephalitis
Herpes simplex encephalitis: a review (Levitz). 1998;27:209-12

Endarterectomy
Pulmonary thromboendarterectomy: an advance in the treatment of chronic thromboembolic pulmonary hypertension (McKane). 1998;27:293-6

Endotracheal intubation; *see* **Intubation, intratracheal**

Enteral nutrition
Measurement of glucose in tracheobronchial secretions to detect aspiration of enteral feedings (Metheny et al). 1998;27:285-92

Esophageal fistula
Tuberculous bronchoesophageal fistulae in patients infected with the human immunodeficiency virus: a case report and review (Alkhuja and Miller). 1998;27:143-5

Exchange transfusion, whole blood
Life-threatening babesiosis in an asplenic patient treated with exchange transfusion, azithromycin, and atovaquone (Bonoan et al). 1998;27:424-8

Extubation
Comparison of two endotracheal tube securement techniques on unplanned extubation, oral mucosa, and facial skin integrity (Barnason et al). 1998;27:409-17

F

Family
Coping strategies used by nurses to deal with the care of organ donors and their families (Pelletier-Hibbert). 1998;27:230-7

Fatigue
Patient perception of fatigue while undergoing long-term mechanical ventilation: incidence and associated factors (Higgins). 1998;27:177-83

Femoral artery
Is lidocaine infiltration during femoral sheath removal really necessary? (Wadas and Hill). 1998;27:31-6

Finland
Decision making of nurses practicing in intensive care in Canada, Finland, Northern Ireland, Switzerland, and the United States (Lauri et al). 1998;27:133-42

Fistula
Case presentation: a gastroventricular fistula resulting from peptic ulcer disease (Trupp). 1998;27:71-3
Tuberculous bronchoesophageal fistulae in patients infected with the human immunodeficiency virus: a case report and review (Alkhuja and Miller). 1998;27:143-5

Functional status assessment
Assessment of functional status in patients with cardiac disease (Coyne and Allen). 1998;27:263-73

G

Gastric fistula
Case presentation: a gastroventricular fistula resulting from peptic ulcer disease (Trupp). 1998;27:71-3

Glucose
Measurement of glucose in tracheobronchial secretions to detect aspiration of enteral feedings (Metheny et al). 1998;27:285-92

Guest editorials
Guest editorials. 1998;27:215-7, 283-4

Guidelines
International guidelines for the selection of lung transplant candidates (Maurer et al). 1998;27:223-9

H

Hantavirus
Hantavirus pulmonary syndrome (Simpson). 1998;27:51-7

Heart block
Reverse ventriculophasic effect (Sistla and Nikolić). 1998;27:213-4

Heart disease
Assessment of functional status in patients with cardiac disease (Coyne and Allen). 1998;27:263-73

Heart failure, congestive
The molecular and cellular pathophysiology of heart failure (Piano et al). 1998;27:3-19

Heart fistula
Case presentation: a gastroventricular fistula resulting from peptic ulcer disease (Trupp). 1998;27:71-3

Heart surgery
Cardiac surgery and the acute care nurse practitioner—"the perfect link" (Hicks). 1998;27:283-4 (Guest editorial)

Heart surgery, psychology
Taiwanese patients' concerns and coping strategies: transition to cardiac surgery (Shih et al). 1998;27:82-98

Heart transplantation
Symptom experience associated with maintenance immunosuppression after heart transplantation: patients' appraisal of side effects (Moons et al). 1998;27:315-25

Hemodynamics
Swan to phoenix: the metamorphosis (Brandstetter et al). 1998;27:215-7 (Guest editorial)
Swan-Ganz catheter: misconceptions, pitfalls, and incomplete user knowledge—an identified trilogy in need of correction (Brandstetter et al). 1998;27:218-22

Hemorrhage
Pseudosepsis secondary to bilateral adrenal hemorrhage (Gabbay and Cunha). 1998;27:348-51

Herpes simplex
Herpes simplex encephalitis: a review (Levitz). 1998;27:209-12

HIV
Pulmonary invasive aspergillosis in patients infected with the human immunodeficiency virus: report of two cases (Mylonakis et al). 1998;27:63-6
Tuberculous bronchoesophageal fistulae in patients infected with the human immunodeficiency virus: a case report and review (Alkhuja and Miller). 1998;27:143-5

Home nursing
Effects of specialized community nursing care in patients with chronic obstructive pulmonary disease (Ketelaars et al). 1998;27:109-20

Human immunodeficiency virus; *see* **HIV**

Hypertension, pulmonary
Pulmonary thromboendarterectomy: an advance in the treatment of chronic thromboembolic pulmonary hypertension (McKane). 1998;27:293-6

I

Immunosuppression
Symptom experience associated with maintenance immunosuppression after heart transplantation: patients' appraisal of side effects (Moons et al). 1998;27:315-25

Infection control
Are frequent inner cannula changes necessary?: a pilot study (Burns et al). 1998;27:58-62
A comparison of intravascular pressure monitoring system contamination and patient bacteremia with use of 48- and 72-hour system change intervals (McLane et al). 1998;27:200-8

Inferior vena cava; *see* **Vena cava, inferior**

Inner cannulas; *see* **Catheters, indwelling**

Intensive care units, pediatric
Adenosine in the diagnosis and treatment of narrow complex tachycardia in the pediatric intensive care unit (Bakshi et al). 1998;27:47-50

International guidelines
International guidelines for the selection of lung transplant candidates (Maurer et al). 1998;27:223-9

Intravascular catheters; *see* **Catheters, indwelling**

Intubation, intratracheal
Comparison of two endotracheal tube securement techniques on

unplanned extubation, oral mucosa, and facial skin integrity (Barnason et al). 1998;27:409-17
Factors related to the emotional responses of intubated patients to being unable to speak (Menzel). 1998;27:245-52

J

Job description
A challenge for clinical nurses: a new nursing role (Balogh and Berry). 1998;27:355-9

K

Knowledge, attitudes, practice
Spotlight article: Patients' and nurses' knowledge of cardiac-related symptoms and cardiac misconceptions (Newens AJ, McColl E, Bond S, Priest JF. Heart Lung® 1996;25:190-9) (Trego et al). 1998;27:274-8

L

Laparoscopy
Postlaparoscopic traumatic inferior vena caval thrombosis (Peck et al). 1998;27:279-82

Learning; *see* **Education**

Length of stay
Use of postoperative information to predict mortality rates for patients who have long stays in the intensive care unit after coronary artery bypass grafting (Hartz et al). 1998;27:22-30

Letters
Letters to the editors. 1998;27:74, 354

Lidocaine
Is lidocaine infiltration during femoral sheath removal really necessary? (Wadas and Hill). 1998;27:31-6

Life style
Recovery patterns and lifestyle changes after coronary angioplasty: the patient's perspective (Gulanick et al). 1998;27:253-62

Lung, physiopathology
Development and testing of the modified version of the Pulmonary Functional Status and Dyspnea Questionnaire (PFSDQ-M) (Lareau et al). 1998;27:159-68

Lung diseases
Hantavirus pulmonary syndrome (Simpson). 1998;27:51-7
Pulmonary invasive aspergillosis in patients infected with the human immunodeficiency virus: report of two cases (Mylonakis et al). 1998;27:63-6
Pulmonary thromboendarterectomy: an advance in the treatment of chronic thromboembolic pulmonary hypertension (McKane). 1998;27:293-6
Validation of a predictive model for postoperative pulmonary complications (Brooks-Brunn). 1998;27:151-8

Lung diseases, obstructive
Effects of specialized community nursing care in patients with chronic obstructive pulmonary disease (Ketelaars et al). 1998;27:109-20

Lung transplantation
International guidelines for the selection of lung transplant candidates (Maurer et al). 1998;27:223-9

M

Manpower
Cardiac surgery and the acute care nurse practitioner—"the perfect link" (Hicks). 1998;27:283-4 (Guest editorial)

Marijuana
Pulmonary manifestations of inhaled street drugs (Cruz et al). 1998;27:297-305

Mechanical ventilation; *see* **Respiration, artificial**

Mediastinal neoplasms
Schwannoma of posterior mediastinum: a case report and concise review (Khanlou et al). 1998;27:344-7

Methamphetamine
Pulmonary manifestations of inhaled street drugs (Cruz et al). 1998;27:297-305

Mood
Self-efficacy expectation, behavior performance, and mood status in early recovery from percutaneous transluminal coronary angioplasty (Perkins and Jenkins). 1998;27:37-46

Morphine
Is lidocaine infiltration during femoral sheath removal really necessary? (Wadas and Hill). 1998;27:31-6

Mortality; *see* **Death**

Mouth mucosa
Comparison of two endotracheal tube securement techniques on unplanned extubation, oral mucosa, and facial skin integrity (Barnason et al). 1998;27:409-17

Music therapy
Effectiveness of a music therapy intervention on relaxation and anxiety for patients receiving ventilatory assistance (Chlan). 1998;27:169-76

Mycobacterium tuberculosis
Tuberculous bronchoesophageal fistulae in patients infected with the human immunodeficiency virus: a case report and review (Alkhuja and Miller). 1998;27:143-5

Myocardial infarction
Spotlight article: Patients' and nurses' knowledge of cardiac-related symptoms and cardiac misconceptions (Newens AJ, McColl E, Bond S, Priest JF. Heart Lung® 1996;25:190-9) (Trego et al). 1998;27:274-8
Symptoms of acute myocardial infarction: expectations of a community sample (Zerwic). 1998;27:75-81

N

Narrow complex tachycardia; *see* **Tachycardia**

Nebulizers and vaporizers
Bronchodilator response with use of OptiVent versus Aerosol Cloud Enhancer metered-dose inhaler spacers in patients receiving ventilatory assistance (Waugh et al). 1998;27:418-23

Neurilemmoma
Schwannoma of posterior mediastinum: a case report and concise review (Khanlou et al). 1998;27:344-7

Northern Ireland
Decision making of nurses practicing in intensive care in Canada, Finland, Northern Ireland, Switzerland, and the United States (Lauri et al). 1998;27:133-42

Nottingham Health Profile
Assessment of quality of life with the Nottingham Health Profile among women with coronary artery disease (Lukkarinen and Hentinen). 1998;27:189-99

Nurse practitioners
Cardiac surgery and the acute care nurse practitioner—"the perfect link" (Hicks). 1998;27:283-4 (Guest editorial)

Nursing
A challenge for clinical nurses: a new nursing role (Balogh and Berry). 1998;27:355-9

O

Opiates
Pulmonary manifestations of inhaled street drugs (Cruz et al). 1998;27:297-305

OptiVent; *see* **Nebulizers and vaporizers**

Oral mucosa; *see* **Mouth mucosa**

Organ donors; *see* **Tissue donors**

Oximetry
Meta-analysis of arterial oxygen saturation monitoring by pulse oximetry in adults (Jensen et al). 1998;27:387-408

P

Pain
The effect of pressure bandaging on complications and comfort in patients undergoing coronary angiography: a multicenter randomized trial (Botti et al). 1998;27:360-73

Is lidocaine infiltration during femoral sheath removal really necessary? (Wadas and Hill). 1998;27:31-6
Long-term chest wall discomfort in women after coronary artery bypass grafting (Rowe and King). 1998;27:184-8
Pain and distress among elderly intensive care unit patients: comparison of patients' experiences and nurses' assessments (Hall-Lord et al). 1998;27:123-32

Patient acceptance of health care
Symptoms of acute myocardial infarction: expectations of a community sample (Zerwic). 1998;27:75-81

Patient compliance
Recovery patterns and lifestyle changes after coronary angioplasty: the patient's perspective (Gulanick et al). 1998;27:253-62

Patient education
Continuous positive airway pressure: patients' and caregivers' learning needs and barriers to use (Smith et al). 1998;27:99-108
Psychophysiological manifestations of anxiety in patients undergoing electrophysiology studies (Cupples et al). 1998;27:374-86
Spotlight article: Patients' and nurses' knowledge of cardiac-related symptoms and cardiac misconceptions (Newens AJ, McColl E, Bond S, Priest JF. Heart Lung® 1996;25:190-9) (Trego et al). 1998;27:274-8

Patient satisfaction
Perceived side effects and benefits of coronary angioplasty in the early recovery period (Kimble and King). 1998;27:308-14
Symptom experience associated with maintenance immunosuppression after heart transplantation: patients' appraisal of side effects (Moons et al). 1998;27:315-25

Pediatric intensive care units; *see* **Intensive care units, pediatric**

Pediatrics; *see* **Child**

Penicillium
Penicillium peritonitis in a patient receiving continuous ambulatory peritoneal dialysis (Qadir and Cunha). 1998;27:67-8

Peptic ulcer
Case presentation: a gastroventricular fistula resulting from peptic ulcer disease (Trupp). 1998;27:71-3

Perception
Pain and distress among elderly intensive care unit patients: comparison of patients' experiences and nurses' assessments (Hall-Lord et al). 1998;27:123-32
Patient perception of fatigue while undergoing long-term mechanical ventilation: incidence and associated factors (Higgins). 1998;27:177-83
Perceived side effects and benefits of coronary angioplasty in the early recovery period (Kimble and King). 1998;27:308-14
Symptom experience associated with maintenance immunosuppression after heart transplantation: patients' appraisal of side effects (Moons et al). 1998;27:315-25

Percutaneous transluminal coronary angioplasty; *see* **Angioplasty, transluminal, percutaneous coronary**

Peritoneal dialysis, continuous ambulatory
Penicillium peritonitis in a patient receiving continuous ambulatory peritoneal dialysis (Qadir and Cunha). 1998;27:67-8

Peritonitis
Penicillium peritonitis in a patient receiving continuous ambulatory peritoneal dialysis (Qadir and Cunha). 1998;27:67-8

Phencyclidine
Pulmonary manifestations of inhaled street drugs (Cruz et al). 1998;27:297-305

Pneumonia
Validation of a predictive model for postoperative pulmonary complications (Brooks-Brunn). 1998;27:151-8

Positive-pressure respiration
Continuous positive airway pressure: patients' and caregivers' learning needs and barriers to use (Smith et al). 1998;27:99-108

Postoperative complications
Validation of a predictive model for postoperative pulmonary complications (Brooks-Brunn). 1998;27:151-8

Pressure bandaging; *see* **Bandages**

Proteus penneri
Proteus penneri urosepsis in a patient with diabetes mellitus (Latuszynski et al). 1998;27:146-8

Pseudosepsis; *see* **Septicemia**

Pulmonary diseases; *see* **Lung diseases**

Pulmonary edema
Bilioptysis: a sign of pulmonary capillary permeability injury (Brandstetter and Kabinoff). 1998;27:121-2

Pulmonary Functional Status and Dyspnea Questionnaire
Development and testing of the modified version of the Pulmonary Functional Status and Dyspnea Questionnaire (PFSDQ-M) (Lareau et al). 1998;27:159-68

Pulmonary hypertension; *see* **Hypertension, pulmonary**

Pulse oximetry; *see* **Oximetry**

Q

Quality of life
Assessment of quality of life with the Nottingham Health Profile among women with coronary artery disease (Lukkarinen and Hentinen). 1998;27:189-99

Questionnaires
Development and testing of the modified version of the Pulmonary Functional Status and Dyspnea Questionnaire (PFSDQ-M) (Lareau et al). 1998;27:159-68

R

Relaxation techniques
Effectiveness of a music therapy intervention on relaxation and anxiety for patients receiving ventilatory assistance (Chlan). 1998;27:169-76

Respiration, artificial
Bronchodilator response with use of OptiVent versus Aerosol Cloud Enhancer metered-dose inhaler spacers in patients receiving ventilatory assistance (Waugh et al). 1998;27:418-23
The current practice patterns of mechanical ventilation for respiratory failure in pediatric patients (Harel et al). 1998;27:238-44
Effectiveness of a music therapy intervention on relaxation and anxiety for patients receiving ventilatory assistance (Chlan). 1998;27:169-76
Patient perception of fatigue while undergoing long-term mechanical ventilation: incidence and associated factors (Higgins). 1998;27:177-83

Respiratory insufficiency
The current practice patterns of mechanical ventilation for respiratory failure in pediatric patients (Harel et al). 1998;27:238-44
Pain and distress among elderly intensive care unit patients: comparison of patients' experiences and nurses' assessments (Hall-Lord et al). 1998;27:123-32

Reviewers
Acknowledgment of reviewers. 1998;27:1-2

Risk factors
Development of the sternal wound infection prediction scale (Hussey et al). 1998;27:326-36
Use of postoperative information to predict mortality rates for patients who have long stays in the intensive care unit after coronary artery bypass grafting (Hartz et al). 1998;27:22-30
Validation of a predictive model for postoperative pulmonary complications (Brooks-Brunn). 1998;27:151-8

S

Schwannoma; *see* **Neurilemmoma**

Self-efficacy
Self-efficacy expectation, behavior performance, and mood status in early recovery from percutaneous transluminal coronary angioplasty (Perkins and Jenkins). 1998;27:37-46

Septicemia
Proteus penneri urosepsis in a patient with diabetes mellitus (Latuszynski et al). 1998;27:146-8
Pseudosepsis secondary to bilateral adrenal hemorrhage (Gabbay and Cunha). 1998;27:348-51

Severity of illness index
Factors influencing intensive care unit survival for critically ill elderly patients (Kleinpell and Ferrans). 1998;27:337-43

Signs and symptoms
Spotlight article: Patients' and nurses' knowledge of cardiac-related symptoms and cardiac misconceptions (Newens AJ, McColl E, Bond S, Priest JF. Heart Lung® 1996;25:190-9) (Trego et al). 1998;27:274-8
Symptom experience associated with maintenance immunosuppression after heart transplantation: patients' appraisal of side effects (Moons et al). 1998;27:315-25
Symptoms of acute myocardial infarction: expectations of a community sample (Zerwic). 1998;27:75-81

Sinus tachycardia; *see* **Tachycardia, sinus**

Skin
Comparison of two endotracheal tube securement techniques on unplanned extubation, oral mucosa, and facial skin integrity (Barnason et al). 1998;27:409-17

Sleep apnea syndromes
Continuous positive airway pressure: patients' and caregivers' learning needs and barriers to use (Smith et al). 1998;27:99-108

Speech
Factors related to the emotional responses of intubated patients to being unable to speak (Menzel). 1998;27:245-52

Spleen
Life-threatening babesiosis in an asplenic patient treated with exchange transfusion, azithromycin, and atovaquone (Bonoan et al). 1998;27:424-8

Sternum
Development of the sternal wound infection prediction scale (Hussey et al). 1998;27:326-36

Street drugs
Pulmonary manifestations of inhaled street drugs (Cruz et al). 1998;27:297-305

Stress, psychologic
Coping strategies used by nurses to deal with the care of organ donors and their families (Pelletier-Hibbert). 1998;27:230-7
Taiwanese patients' concerns and coping strategies: transition to cardiac surgery (Shih et al). 1998;27:82-98

Substance abuse
Pulmonary manifestations of inhaled street drugs (Cruz et al). 1998;27:297-305

Surgical wound infection
Development of the sternal wound infection prediction scale (Hussey et al). 1998;27:326-36

Survival
Factors influencing intensive care unit survival for critically ill elderly patients (Kleinpell and Ferrans). 1998;27:337-43

Swan-Ganz catheterization; *see* **Catheterization, Swan-Ganz**

Switzerland
Decision making of nurses practicing in intensive care in Canada, Finland, Northern Ireland, Switzerland, and the United States (Lauri et al). 1998;27:133-42

Symptoms; *see* **Signs and symptoms**

T

Tachycardia
Adenosine in the diagnosis and treatment of narrow complex tachycardia in the pediatric intensive care unit (Bakshi et al). 1998;27:47-50
Bidirectional tachycardia (Nogrady and Nikolić). 1998;27:149-50
Reverse ventriculophasic effect (Sistla and Nikolić). 1998;27:213-4

Tachycardia, sinus
Dominant R wave in lead V_1 (Nikolić). 1998;27:352-3
Sinus rhythm with rapid ventricular response (Nikolić). 1998;27:69-70

Taiwan
Taiwanese patients' concerns and coping strategies: transition to cardiac surgery (Shih et al). 1998;27:82-98

Thromboembolism
Pulmonary thromboendarterectomy: an advance in the treatment of chronic thromboembolic pulmonary hypertension (McKane). 1998;27:293-6

Thrombosis
Postlaparoscopic traumatic inferior vena caval thrombosis (Peck et al). 1998;27:279-82

Tissue donors
Coping strategies used by nurses to deal with the care of organ donors and their families (Pelletier-Hibbert). 1998;27:230-7

Tracheal secretions
Measurement of glucose in tracheobronchial secretions to detect aspiration of enteral feedings (Metheny et al). 1998;27:285-92

Tracheostomy
Are frequent inner cannula changes necessary?: a pilot study (Burns et al). 1998;27:58-62

Tuberculosis
Tuberculous bronchoesophageal fistulae in patients infected with the human immunodeficiency virus: a case report and review (Alkhuja and Miller). 1998;27:143-5

U

Urosepsis; *see* **Septicemia**

V

Vena cava, inferior
Postlaparoscopic traumatic inferior vena caval thrombosis (Peck et al). 1998;27:279-82

Ventilatory assistance; *see* **Respiration, artificial**

Virus diseases
Hantavirus pulmonary syndrome (Simpson). 1998;27:51-7

W

Women
Long-term chest wall discomfort in women after coronary artery bypass grafting (Rowe and King). 1998;27:184-8

Women
Assessment of quality of life with the Nottingham Health Profile among women with coronary artery disease (Lukkarinen and Hentinen). 1998;27:189-99

Wound infection
Development of the sternal wound infection prediction scale (Hussey et al). 1998;27:326-36